Record
of
Collections
R. M. Anderson.
Nos 810 to

ANY PERSON

who finds this book will confer a favour by pasting the following Label on the outside and depositing in the nearest

POST OFFICE.

O. H. M. S.

FREE.

TO THE DIRECTOR,

Geological Survey of Canada,

OTTAWA,

Ont.

810. ~~R. M. Anderson~~

♀ Dicrostonyx sp.
Cape Kellett, Banks Island
L 12 cm.
Coll. by Geo. H. Wilkins
Sept. 5, 1914.

Summer pelage
Dorsal stripe restricted except on nose.

811- ♀ Dicrostonyx sp.
Cape Kellett, Banks Island
Sept. 5, 1914.
L 11 – 1.5 – 2 cm.
Coll by Geo. H. Wilkins

812. Dicrostonyx sp.
Cape Kellett
Banks Island,
Sept. 8, 1914.
12.25 — 1.5 — 2.25 cm.
Coll. by Geo. H. Wolstenholme
Dorsal Stripe very obscure.

813. Dicrostonyx sp.
Cape Kellett,
Banks Island
July 6, 1915.
Collected by Peter Bernard.
Back shows reddish tint
with faint dorsal stripe

814. Dicrostonyx sp.
Cape Kellett,
Banks Island.
Fall, 1914.
Coll. by Peter Bernard
sailing master C.G.S. "Mary Sachs"

815. ♂ Lemmus sp.
Cape Kellett,
Banks Island.
July 6, 1915.
Coll. by Peter Bernard.
Well furred - rich chestnut on back posteriorly; dusky anteriorly

816 ~~Stercorarius~~? pomarinus ~
~~Larus hyperboreus~~ ad.
Cape Kellett ~
Banks Island ~
~~June 17, 1915~~ ~
Coll. by ~~P. Bernard~~
Geo. H. Wilkins
Sept. 3, 1914.

L. 55 cm.
White throat

817. Sex? Stercorarius pomarinus. ad.
Cape Kellett,
Banks Island
Sept. 3, 1914
Coll. by Geo. H. Wilkins

Obscure dusky band across lower part of throat

818- Stercorarius pomarinus. ♂
Cape Kellett,
Banks Island.
Sept. 4 1914.
Coll-by Jas H. Wilkins.
L. 47 cm

Mottled dusky band across
lower part of throat.

Only specimen. Ends of tail
feathers shot away.

819- Sex? Stercorarius pomarinus Juv.
Cape Kellett,
Banks Island
Sept. 3, 1914.

L. 47 cm

Young specimen. Pectrices
nearly equal length. Body
barred underneath with black
and brownish.

820. Sex ? *Stercorarius pomarinus*.
Cape Kellett,
Banks Island.
Sept. 3. 1914.
L. 49 cm.
Coll. by Geo H. Wollaston

Juvenile - barring more distinct than No 819. Brownish bars lighter: some nearly white on Crissum

821. ♀ *Stercorarius parasiticus*.
Cape Kellett,
Banks Island.
July 6, 1915.
Coll by P. Bernard.
Throat and breast white.

822. ♂ Stercorarius longicaudus.
Cape Kellett,
Banks Island.
June 18, 1915.
Coll. by P. Bernard.
Throat and breast white, belly
ashy posteriorly

~~822.~~

823. ♀ Stercorarius longicaudus.
Cape Kellett
Banks Island.
June 3?, 1915.
Coll. by P. Bernard.

824. ♂ Larus hyperboreus ad.
June 7, 1915. P.B.
Coll by Peter Bernard.
Cape Kellett, Banks Island

825. ♀ Larus argentatus (?) ad
June 9, 1915. P.B.
Coll. by Peter Bernard
Primaries black; white tipped.
Cape Kellett, Banks Island

826. ♀ Larus argentatus (?) ad.
June 16, 1915. P.B.
Cape Kellett,
Banks Island.

Black primaries somewhat
washed out; white tipped.

827. Larus juv.
Sept. 17. 1914.
Coll. Cg. Jno. H. Wilkins. 914 W.
Black & brown Dark juvenal
plumage.
1. 57 cm.
Cape Kellett, Banks
Island

828. Larus ... Jur.
Sept 6, 1914 9th W
Cape Kellett.
Banks Island.

Dusky juvenal plumage.

829. ♂ Harelda hyemalis. ad.
Cape Kellett, Banks Island.
June 22, 1915.
Coll. by P. Bernard.
Spot much mixed with brownish
feathers; forenect with
much white. Head mostly
white with small black patch
on crown.

830. ♂ Harelda hyemalis. ad.
Cape Kellett, Banks Island.
July 2, 1915
Coll. by P. Bernard

Typical summer plumage

831 - ♂ Harelda hyemalis
Cape Kellett, Banks Island.
July 2, 1915
Coll. by P. Bernard

Typical summer plumage except that two long central tail feathers are missing.

832. ♂ Harelda hyemalis.
Cape Kellett,
Banks Island.
Coll. by P. Bernard.
July 2, 1915
Typical summer plumage
Moult in latest stage.

833. ♂ Somateria v-nigra.
Cape Kellett, Banks Island.
June 25, 1915
Collected by Peter Bernard.
Full breeding plumage.

834. ♂
Sonneteria V-nigra
Cape Kellett.
Banks Island.
June 29, 1915.
Collected by Peter Bernard.

Free breeding plumage.

835. ♀
Sonneteria V-nigra
Cape Kellett
Banks Island.
July 7, 1915
Collected by Peter Bernard

836. ♂ Somateria spectabilis.
Cape Kellett,
Banks Island.
June 22 1915
Collected by Peter Bernard.

Full breeding plumage.

837. ♂ Somateria spectabilis
Cape Kellett
Banks Island
June 23, 1915
Collected by Peter Bernard.

Full breeding plumage.

838. ♂
Somateria spectabilis.
Cape Kellett,
Banks Island.
June 30, 1915.
Collected by Peter Bernard.

Full breeding plumage, one dusky feather on back of neck.

839. ♂
Somateria spectabilis.
Cape Kellett
Banks Island
July 4, 1915.
Collected by Peter Bernard.
Full breeding plumage.

840. ♂ Somateria spectabilis.
Cape Kellett,
Banks Island.
July 5, 1915.
Collected by P. Bernard.
Full summer plumage.

841. ♂ Somateria spectabilis.
Cape Kellett,
Banks Island.
July 6, 1915.
Collected by P. Bernard.
Full summer plumage.

842 ♂ Somateria spectabilis
Cape Kellett
Banks Island
July 7, 1915.
Collected by P. Bernard.
Full summer plumage.

843 ♂ Somateria spectabilis.
Cape Kellett
Banks Island
July 14, 1915.
Collected by Peter Bernard.
Full summer plumage

844 ♀

Somateria Spectabilis

Cape Kellett,

Banks Island.

Aug. 30, 1914

Collected by Geo. H. Wilkins

(head missing).

845 ♀

Somateria spectabilis

Cape Kellett,

Banks Island

Aug. 30, 1914

Collected by Geo. H. Wilkins

846. ♀
Somateria spectabilis.
Cape Kellett,
Banks Island.
June 20, 1915.
Collected by P. Bernard.

847. ♀
Somateria spectabilis
Cape Kellett,
Banks Island.
June 29, 1915.
Collected by P. Bernard.

848 ♀ Sonneratia Spectabilis.
Cape Kellett,
Banks Island.
July 19. 1915.
Collected by P. Bernard.

849 ♀ Sonneratia Spectabilis.
Cape Kellett,
Banks Island
July 1. 1915.
Collected by P. Bernard.

850 ♂

Chen hyperboreus- hyperboreus-
Cape Kellett.
Banks Island -
June 18, 1915
Collected by Peter Bernard.

Head and neck with rusty reddish
wash, rather buffy.
Breast slightly

857. ♀

Chen hyperboreus hyperboreus-
Cape Kellett,
Banks Island -
June 19, 1915
Collected by Peter Bernard

Rusty on forehead and cheeks
slight wash on breast.
Not yet moulting

852. ♂

Chen hyperboreus hyperboreus

Cape Kellett -

Banks Island.

July 19, 1915 -

Collected by Peter Bernard.

Very slight rusty wash around bare bill, and on breast and belly

Primaries sheathed, about half grown out after incast.

ES

853 ♂

Chen hyperboreus hyperboreus.

Cape Kellett.

Banks Island.

July 20, 1915 -

Collected by Peter Bernard.

Slight rusty wash on face.

Light grayish stripe along side of neck. At about same stage of moult as No 852.

854. Sex? (probably ♂).
Branta nigricans.
Cape Kellett,
Banks Island.
Aug. 31, 1914.
Collected by Geo. H. Wilkins.

Head black, back with considerable brownish drab.

855. Sex ♀? (probably ♀).
Branta nigricans.
Cape Kellett,
Banks Island
Aug 31, 1914.
Collected by Geo. H. Wilkins

856. Sex? (probably ♀)
Branta nigricans.
Cape Kellett,
Banks Island.
About Aug. 31, 1914.
Coll. by Geo. H. Wilkins

857. ♂
Branta nigricans.
Cape Kellett
Banks Island.
June 9. 1915.
Collected by P. Bernard.

858. ♂

Grus canadensis.
Cape Kellett,
Banks Island
June 17. 1915.
Collected by Peter Bernard.

L.
W.
T.
B.
Ts.
Tars. Base portion of Tars.

857. Calidris arenaria
Sex (?)
10 miles NW of Cape Lambton
Southwestern part of Banks Island
Aug. 24. 1914.
Colr. by Geo. H. Wilkins

860.
Calidris arenaria.
Sex:
Banks Island (probably
between Cape Lambton and
Cape Kellett).
About August 24, 1914.
Coll. by Geo. H. Wolkins.

861. ♀ Pisobia fuscicollis
White-rumped Sandpiper
Cape Kellett
Banks Island,
June 20, 1915.
Coll. by Peter Bernard.

862. ♂

Squatarola Squatarola.

Cape Kellett,
Banks Island.
June 18, 1915
Collected by P. Bernard

Full breeding plumage.

863. ♂

Squatarola Squatarola.

Cape Kellett.
Banks Island
June 19. 1915.
Collected by P. Bernard

Full breeding plumage

864. ♂

Squatarola Squatarola.

Cape Kellett,
Banks Island.
July 4, 1915.
Collected by Peter Bernard.
Full breeding plumage.

865. Squatarola Squatarola.
~~Charadrius dominicus.~~

Cape Kellett
Banks Island.
Sept. 4, 1914.
L. 28.5 cm
Coll. by Geo. H. Wilkins

866. Squatarola Squatarola
~~Charadrius dominicus~~

Cape Kellett
Banks Island.
Sept. 6, 1914.
L. 290 m.
Coll. by Geo. H. Wilkins

867. Squatarola Squatarola
~~Charadrius dominicus~~

Cape Kellett
Banks Island
about Sept 4-6, 1914
Coll. by Geo. H. Wilkins

868. Willow Ptarmigan Sex?
Lagopus lagopus lagopus.
Cape Kellett
Banks Island
Sept. 12, 1914.
L. 36 cm.
Collected by Geo. H. Wilkins

Pure white; full winter plumage.

869. ♂ Willow Ptarmigan
Lagopus lagopus lagopus.
Cape Kellett
Banks Island
Sept. 25, 1914.
L. 36 cm
Collected by Geo. H. Wilkins

Three or four brown feathers on back
a few on scapulars, and neck and
one on crown

87d. (No. 44) Willow Ptarmigan
Lagopus lagopus lagopus
Cape Kellett,
Banks Island
~~Sept.~~ October 7, 1914.
L. 38 cm.
Col. by Geo. H. Wilkins
One brown feather on breast

871. (?) Willow Ptarmigan
Lagopus lagopus lagopus.
Cape Kellett.
Banks Island
Oct. 9, 1914.
L. 41 cm.
Collected by Geo. H. Wilkins
Full winter plumage - no trace of brown.

872. ♂ Willow Ptarmigan
Lagopus lagopus lagopus
Cape Kellett,
Banks Island
June 23, 1915.
Collected by Peter Bernard.

Plumage white, with 7 or 8 brown feathers on back and scapulars. Head and neck uniform light sienna brown. Whitish area around bill and lores. Head and neck lighter than normal.

873. ♂ Rock Ptarmigan
Lagopus rupestris rupestris
Cape Kellett, Banks Island.
Sept. 5, 1914.
L. 31 cm. sex ? (♂ P. M. A).
Coll. by Geo. H. Wellman
Changing plumage; back blotched, about 1/3 dark feathers
head streaky, lores black
Bill shorter and more convex than
Lagopus rupestris; more like willow
Ptarmigan in Bill, white wing, throat slender

874 ♀ Rock Ptarmigan
Cape Kellett, Banks Island
Sept. 5, 1914.
L. 31 cm. Sex? (F.R. M.A.)
Col. by Geo. H. Wilkins.
Changing plumage, about ⅕ brown
flabbertabor, head about ½
streaked, throat white, breast
barred; a few brown feathers
below.

875 ♂ Rock Ptarmigan
Lagopus rupestris rupestris.
Cape Kellett, Banks Island
Sept. 12, 1914
L. 34 cm. Sex? (F.R. M.A.)
Col. by Geo. H. Wilkins
All white below. Head partly
streaked above. A few brown
feathers on back.
Bill much more convex and
thicker than average rupestris +
bill resembling Lagopus. Inner
Jet black

876. ♂ Rock Ptarmigan
Cape Kellett, Banks Island
Sept. 25, 1914
L. 34 cm. Sex ? (Testes small)
Collected by Geo. H. Wilkins
Pure white below. A few brown
feathers in crown and two or
three scapulars. Nearly
full winter plumage.

877. ♀ Snowy Owl ad.
Nyctea Nyctea
Cape Kellett, Banks Island
Collected by Geo. H. Wilkins
Sept. 26, 1914.
L. 61 cm.
Under and upper parts heavily
barred with brownish black.

878. ♂ Snowy Owl. ad.
Nyctea nyctea
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins
Oct. 5, 1914.
L. 56 cm.
Lighter than preceding, narrower bars considerably more white than dusky on back. Head and throat, and crissum white. Three dusky bars on tail.

879. ♀ Snowy Owl. ad.
Nyctea nyctea
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins
Oct. 13, 1914.
L. 62 cm.
Both upper and lower parts heavily barred with brownish black.

880. (Sex ?) Snowy Owl. ad.
Nyctea nyctea.
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins.
Nov. 20, 1914.
♀(?).
Heavily barred with
brownish black, both above
and below.

881. ♂ Snowy Owl. ad.
Nyctea nyctea.
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins.
Dec. 8, 1914.
♂. L. 24 inches.
Heavily barred with brownish
black both above and
below

882. (Sq.) Snowy Owl. Juv.
Nyctea nyctea.
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins.
Smallest of brood of four. Brownish black down on head, back and underparts. Long quills barred. Rectrices short, tips just budding out from feather sheath. Pale feather tracts. Small patch of feathers between wings. Some white around bill.
Sept. 5, 1914. L. 41 cm.

883 ♀ Snowy Owl. Juv.
Nyctea nyctea.
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins.
Sept. 5. 1914. L. 50 cm.
Coloration generally dusky. Similar to No. 882. Head with wing quills and tail feathers better developed. Fresh plumage. All specimens. White.

884. ♂ Snowy Owl juv.
Nyctea nyctea.
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins
Sept. 8, 1914. L. 40 cm.

Down mostly dusky, but paler than two preceding specimens. A small patch of white feathers on breast. White feathers all along bend of wing (radius). A dusky stripe down middle of wing.

885. ♀ Snowy Owl juv.
Nyctea nyctea juv.
Cape Kellett, Banks Island
Collected by Geo. H. Wilkins
Sept. 8, 1914. L. 41 cm.
Largest of four juvenal specimens. Nearly feathered out on back, breast and belly. Dusky barred feathers) Head, neck and throat dusky down covered.

886 ♀ Northern Raven

Corvus corax principalis.

Cape Kellett, Banks Island.

Collected by Geo. H. Wilkins.

Sept. 17, 1914.

Moulting plumage.

Pin feathers numerous on throat and on rump. Long and tail well developed.

887. Lapland Longspur.

Calcarius lapponicus lapponicus

Cape Kellett, Banks Island.

Collected by Geo. H. Wilkins.

Sept. 3, 1914.

L. 15 cm.

In brownish fall plumage.

888. Lapland Longspur
Calcarius lapponicus lapponicus
Cape Kellett, Banks Island.
Collected by Geo. H. Wilkins.
Sept. 5, 1914.
L. 16 cm.

889. Grinnell's Water-Thrush
Seiurus noveboracensis notabilis
Cape Kellett, Banks Island,
Collected by Geo. H. Wilkins
Sept. 11, 1914.
Sex? L. 12.5 cm.
Back uniform olivaceous. Buffy yellowish breast streaked olive except along median line & belly. Tail feathers uniform
Color

890 - 2767.
♂
Barren Grounds, Caribou
Rangifer sp.
Banks Island.
Collected by Geo. H. Wilkins
Oct. 9, 1914.

96. 13. 51. 106. 170. 78.

Head and neck white, with dusky reddish wash across nose and around eyes. Sides and belly white. Faint brownish wash on lower back and rump. Stripe brownish on anterior surface of fore leg from knee to first white. Very faint wash of brownish on hind legs.

(Skull not sent down from Cape Kellett base)

891 - 2765
♂
Barren Grounds, Caribou
Rangifer sp.
Banks Island.
Collected by Geo. H. Wilkins
Oct. 11, 1914. No measurements

Head and neck white, with brownish band across nose and a dusky stripe running up on median line of face above eyes. Slight wash of dusky around eyes. Obscurely brown on back and rump and brownish stripe down anterior side of fore and hind legs. Flanks and belly white. Caudal area slightly more dusky than in 890. Slight dusky on posterior edge of ear.

892-2766. Barren Ground Caribou
♂ Rangifer sp.
Banks Island, Cape Kellett
Collected by Geo. H. Wilkins.
Oct. 14, 1914.
141. 10. 42.80 98. 40. 13
Head and neck white. Brownish wash on nose, forehead and ears. Very obscurely brownish wash on shoulders and back. Legs very faintly tinted with brownish

893-2767. Barren Ground Caribou
♀ Rangifer sp.
Banks Island, Cape Kellett
Oct. 14, 1914.
Collected by Geo. H. Wilkins
Mostly white. Faint dusky wash on nose and ears. Slightly dusky wash on posterior portion of back. Legs very faintly washed with dusky.

1914
894. ♀ Barren Ground, Caribou
Rangifer sp.
Banks Island. Cape Kellett.
Probably Nov. 1, 1914.
Collected by Geo. H. Wilkins
158. 11. 45. 87. 98. 40. 13.
Nearly white. Slightly brownish on nose. Ears slightly roan tinted. Back slightly tinted with roan. Legs pure white.

1914
895. Barren Ground, Caribou
♀ Rangifer sp.
Banks Island.
Nov. 1, 1914.
Collected by Geo. H. Wilkins
136. 10. 42. 81. 94. 39. 12.
Measurements
Face tinted with Reddish brown. Ears dusky. Throat and neck white. Loin back, rump, and fore legs washed with roan tint. Hind legs white

896 - 2770 22
♀ Barren ground Caribou.
Rangifer. sp.
Banks Island.

Nov. 1, 1914.
Collected by. Geo H. Wilkins
168. 14. 48. 92. 124. 46. 17 Cm.

Whitish all over: nearly pure.
Reddish brown patch on nose.
Slightly dusky on forehead. Faintly
dusky on back and on fore leg.
Hind legs white.

897. Polar Bear

Thalassarctos Maritimus.
Banks Island, Cape Kellett.

Collected by Canadian Arctic
Expedition 1914-1915.

No label except "Cape Kellett,
Banks Island."

898. Polar Bear.

Thalassarctos maritimus.

Banks Island, Cape Kellett.

Collected by Canadian Arctic Expedition 1914-1915.

No label except "Cape Kellett. Banks Island."

899. ♂ Arctic Wolf.

(2793) Canis.

Banks Island,

Sept. 9, 1914

Collected by Geo. H. Wilkins

127. 35. 26. 25.

Forehead slightly grayish grayish white, scarcely tinted with yellowish. A well defined streak of black tipped hairs below. Median line of black from within to base of tail. A conspicuous black spot at the rear base and conspicuous black tip.

Nov ♂ Arctic wolf.
2794 Canis.
Banks Island
Collected by Geo. H. Wilkins
Dec. 14, 1914.

62. 17. 30 11. 16. 28 inches
Whitish below. Back and upper
legs with brownish yellow wash
Black tipped hair forming stripe
back darker posteriorly. Obscure black
area at tail near base. Black tipped
with subterminal reddish brown
portion

Nov ♀ Arctic wolf. (Skull rec'd 1919.
2795 Canis
Banks Island Dec. 15, 1914.
Collected by Geo. H. Wilkins
No measurements
Nearly pure white slightly
washed with rusty reddish
on head and along median
portion of back. Ears reddish
Tail whitish with a few blackish
hairs at extreme tip.

902. ♂ Arctic wolf.
(2796) Canis.
Banks Island. Cape Kellett.
February 27 1915
Collected by Geo. H. Wilkins P. Bernard
White & wolf, some dusky on face; Ears reddish. Black-tipped hairs forming line on posterior 2/3 of back, bordered by yellowish area on both sides of. Small black area on top of tail. Small black tip to tail with reddish subterminal portion.

9033 Arctic Hare (blue phase)
(3688) Lepus arcticus canus.
Banks Island. Cape Kellett.
Dec. 4. 1914. G. H. Wilkins
62-5-15-32-12-34.
Pure white. Ears black-tipped.

904

Arctic Fox. Alaska Fox. Jun.

♀ Vulpes lagopus.

Banks Island. Cape Kellett

Aug 27 1914

Coll by R. H. Wilkins

No measurements

AUG 27 1914

Upper parts yellowish brown hair blunt Gray at base Under parts dirty whitish darker on breast Tail dusky, brownish tipped Face grayish blue streaked with white hairs

905

Arctic Fox. 905

♀ Vulpes lagopus. Jun.

Banks Island. Cape Kellett.

18-28-12.5

AUG 27 1914

Coll. R. H. Wilkins

Yellowish brown along whole of back. Dirty whitish below, blurky on breast Face streaked with white hairs Tail dusky brownish

906 ♀ Arctic Fox. 906

Vulpes lagopus. fur

Banks Island. Cape Kellett

Aug. 28, 1914 AUG 28 1914

47-22-11.5

Back reddish brown tinged with yellowish on sides. Under parts dirty white tinged with yellowish on breast, throat bluish gray

907 ♂ Arctic Fox. ad. 907

Vulpes lagopus. 3015

Banks Island. Cape Kellett

Collected by G. H. Wilkins SEP 9 1914

80-29-15-33-27-16

Back grayish blue, washed on surface with brownish. Tail light grayish. Head pale bluish, with many white hairs. Throat long flowing white hairs

908 Arctic Fox. ad. 3016.

♀ Vulpes lagopus.

Banks Island. Cape Kellett

Collby gen H. Wilkins

82-29-12-30-15-25 OCT 1 1914

White all over with a decided blunt tint. Ears blunt. face blunt. Bay Brownish tip of tail

909 Arctic Fox. 3017. Jun

♀ Vulpes lagopus.

Banks Island. Cape Kellett

Coll. G. H. Wilkins OCT 1 1914 Cape Kellett

78-28-12-29-14-24.

Back brownish blue with occasional longer white hairs. Head mixed color Underparts whitish Brown hairs tip of tail

910 Arctic Fox. 3018

♀ Vulpes lagopus.

Banks Island. ~~Cape Kellett~~

Coll. by Geo. H. Wilkins

86-3-12 3-14-27 OCT 4 1914

White, with whole dorsal region tinged with very pale blush. Ears gray-blue face gray. Brown hair on tip of tail.

911 Arctic Fox. Oct 3019

♀ Vulpes lagopus.

Banks Island. Cape Kellett.

Oct. 5 1914 OCT 5 1914

Coll. by Geo. H. Wilkins

74-24-11-26-14-7 Coat and Back shoulders and fore parts blush gray washed with brown. Head pale. Ears dusky. Tail brown tipped.

26

912 Arctic Fox. 3020.
♂ Vulpes lagopus
Banks Island Cape Kellett.
Coll J. H. Wilkins OCT 6 1914
Jur
73-26-11.5-28-12-23
Median line of back, shoulders
legs and tail brownish.
Gray head lighter.
Brown hairs at tip of tail

913 Arctic Fox. 3021.
♂ Vulpes lagopus
Banks Island. Cape Kellett.
Coll by J. H. Wilkins OCT 2 1914
Jur
176-27-12-29-12-22
Head, median line of back
shoulders and legs black
brownish gray.
hairs at tip of tail. Brown

914 Arctic Fox. 3022.
♀ Vulpes lagopus
Banks Island.
G. H. Wilkins OCT 7 1914 Cape Kellett.
86-30-15-34-17-30
Head, median line & tract
on tail with dusky [illegible]
tail, slightly washed with
brownish at tips.

915 Arctic Fox. 3023?
♂ Vulpes lagopus
Banks Island.
OCT 11 1914 Cape Kellett.
G. H. Wilkins (A)
74-27-12-29-16-29
White tinted with flesh
along median line and on
tail. Dark brown hairs on
tip of tail.

3024.

916 Arctic Fox. ♂

Vulpes lagopus

Banks Island. Cape Kellett.

OCT 11 1914 J. H. Wilkins E

Lavender tinted along median line. Head white.

Washed grizzly with dusty Brown hairs at tip of tail

88-33-12-28-15-2 ♀

917 Arctic Fox. ♂

Vulpes lagopus

3025.

Banks Island. Cape Kellett.

OCT 11 1914 Geo. H. Wilkins (B.)

82-23 14-32 16-2 ♀

Pale fluist along median line and on tail. White below. Brown hairs on tip of tail.

918 Arctic Fox. ad.
♀ Vulpes lagopus 3026
Banks Island. Cape Kellett.
OCT 11 1914
Geo. H. Wilkins (c)
78-25-12-30-15-3.0
Nearly white anteriorly.
Blush under fur quite
evident posteriorly. Tail blush.
Brownbars nitpy last

919 Arctic Fox. 3027? ad
♂ Vulpes lagopus
Banks Island. Cape Kellett.
OCT 11 1914 Geo. H. Wilkins
86-28-35-14-20-34.
General appearance white
purebelly, but with blush
underfur in back.

3028.
ad.

920 Arctic Fox. ♂

Vulpes lagopus

Banks Island. Cape Kellett.

OCT 12 1914 Geo. H. Wilkins

83-32-13-25-21-26.

Body entirely white, fairly good growth of fur, but tail light flush tinted; Brown hairs in tip of tail

3029.
ad.

921 Arctic Fox. ♂

Vulpes lagopus

Banks Island. Cape Kellett.

OCT 13 1914 Geo. H. Wilkins.

79-26-12½-30-16-26.

Head white. Back and tail pale blush with faint rusty wash. Posterior portion of tail darker. Brown hairs in tip of tail.

922 Arctic Fox. ad.
3030.
♂ Vulpes lagopus
Banks Island. Cape Kellett.

OCT 13 1914 J. H. Wilkins (A)
88-29-14-33-16-31
Legit brownish blue shade along back and tail White below. Fur rather short Dark brown hairs in tip of tail

923 Arctic Fox. 3031
♀ Vulpes lagopus ad.
Banks Island. Cape Kellett.

OCT 15 1914 Geo. H. Wilkins (B)
77-27-12-28-14-25
Head mixed brownish blue and white Median line of back dull brownish with blue underwool showing through. Tail and legs dusky. Brown hairs in tip of tail

29

924 Arctic Fox. ♀ Vulpes lagopus

Banks Island. Cape Kellett.

OCT 15 1914

Gus H. Wilkins

75-2-13-29-15-24

Head streaked with brown blue and white hairs. Back and hips brownish with blueish at base. Dark brown hairs in tip of tail.

---

925 Arctic Fox. ♀ Vulpes lagopus

Banks Island.

OCT 15 1914

Gus. H. Wilkins

83-29-21-30-17-29 (A)

General white appearance some blueish showing on neck, and pale fluke tint along back. Whiskers white. Brown hairs in tip of tail

ad, 3033.

3032.

ad.

926 ♂ Arctic Fox, Jun.
Vulpes lagopus
Cape Kellett. Banks Island.
George H. Wilkins
OCT 16, 1914
68-20-11-23-12-20
Head mixed grayish, brownish and whitish. Blackish yellowish brown on neck, back, shoulders hips and tail

927 ♂ Arctic Fox, 3035.
Vulpes lagopus
Cape Kellett. Banks Island.
OCT 16 1914 Geo. H. Wilkins
77-27-12-29-14-27 (A)
Rather long fur but pale blackish brown along upper parts (except head), very slightly washed with brownish. Tail same. Dark brown hairs in tip of tail

30 3036

928 Arctic Fox.

♂ Vulpes lagopus

Cape Kellett. Banks Island.

OCT 16 1914 Geo. H. Wilkins

(C)

83-28-13-21-14-25

Upper parts pale brownish slightly washed with brownish. Yellow below. Brown hair in tip of tail

No Skull.

929 Arctic Fox. 3037

♂ Vulpes lagopus

Cape Kellett. Banks Island.

OCT 16 1914 George H. Wilkins (A)

80-27-12.5-29-15-24

Head, back, shoulders, hips and tail rather light mixed flesh gray and brownish — Head lighter. Dark brown hairs at tip of tail. Whitish below

930 Arctic Fox. 3038.

♂ Vulpes lagopus

Cape Kellett. Banks Island.

OCT 16 1914 Geo. H. Wilkins

79-26-12-29-16-28. (B).

Back pale bluish gray with slight brownish tint. Tail similar. Dark brown hairs at tip of tail.

931 Arctic Fox, 3039.

♀ Vulpes lagopus

Cape Kellett. Banks Island.

OCT 16 1914 George H. Wilkins (D)

80-26-12-→ 15-26

Pale bluish gray above with rather narrow median black mark darker grayish brown. Tail bluish, paler than back with a few brown hairs at tip

932 ♂ Arctic Fox. 3040

Vulpes lagopus

Cape Kellett. Banks Island.

OCT 16 1914 Geo. H. Wilkins (A)

84 – 26 – 0 – 30 – 16 – 28

White all over with slight blush appearance on back- tail slightly more dusky Brown habra ashy of tail Fur fairly long

933 ♂ Arctic Fox.

Cape Kellett. Vulpes lagopus

♂ Banks Island.

OCT 16 1914 Geo. H. Wilkins (B)

85 – 30 – 0 – 0 – 0 – 29

White all over fairly long fur blush underfur bicolor only when blown on strongly

934 Arctic Fox.

♀ Vulpes lagopus

Banks Island.

Cape Kellett.

OCT 18 1914

Geo. H. Wilkins D.

77-26-12-29-14-25

Head dusky, lighter on face. Back, shoulders, hips and last third grey, heavily washed with brownish. Dark brown hairs in tip of tail

935 Arctic Fox. 3043.

♂ Vulpes lagopus

Banks Island.

Cape Kellett.

OCT 18 1914

Geo. H. Wilkins (F)

75-27-12-29-14-25

Head dusky, lighter on face, back, shoulders, hips and last third blush grey ~~slightly~~ washed with brownish. Dark brown hairs in tip of tail

32

936 Arctic Fox. 3044

♀ Vulpes lagopus

Banks Island.

Cape Kellett. OCT 18 1914

George H. Wilkins

79-24-11-27-14-23

Back pale blush and brownish mixed. Tail under hairs at tip dark brown

937 Arctic Fox. 3045 ad.

♀ Vulpes lagopus

Banks Island.

Cape Kellett. OCT 18 1914

George H. Wilkins (H)

83-29-13-32-27-29.

White very slightly tinged with blush

Brown hairs on tip of tail

938 Arctic Fox. ad.

♀ Vulpes lagopus

Banks Island.

Cape Kellett. OCT 18 1914

George H Wilkins

82-30-13-33-27-27.

White slightly blush on back. Brown hairs in tail tip.

939 Arctic Fox. ad

♂ Vulpes lagopus 3047.

Banks Island OCT 18 1914

Cape Kellett.

Geo. H. Wilkins (B)

80-26-12-30-16-27

White, blush on nape and slightly tinted blush on back. Dark brown hairs in tip of tail.

940 ♂ 33 3048.

Arctic ~~Fox~~.

Vulpes lagopus

Banks Island.

Cape Kellett. OCT 18 1914

Geo. H. Wilkins (C)

80-28-13-29-17-29.

Fur rather long. Light blue-gray on back, shoulders ~~back~~ hips and tail. Dark brown tip of tail.

941 ♀ Arctic Fox. 3049.

Vulpes lagopus

Banks Island. (Inland)

Cape Kellett. OCT 22 1914

White. Slightly blue on back and hips. Brown hairs in tip of tail. Ears brown.

74-25-11-27-15-25

G. H. Wilkins.

942 Arctic Fox. 3050.

♂ Vulpes lagopus

Banks Island. (Coast)

Cape Kellett.

OCT 22 1914

Whitish. Pale Blush on back. Geo. H. Wilkins.

more posteriorly. Ears

Hind brown. Brown hairs

Numerous in tip of tail

81-30-12.5-31-16-28.

943 Arctic Fox. 3051.

♀ Vulpes lagopus

Banks Island, Cape Kellett.

OCT 25, 1914 Geo. H. Wilkins

82-27-12-30-17-27.

Obscure grayish blue band along

Median line of back Ears blended

Gray. Brown hairs in tip of tail.

3052.

944 Arctic Fox, ♂

Vulpes lagopus

Banks Island Cape Kellett.

OCT 26 1914 George H. Wilkins

82-29-12 30-14-27.

Head dusky, with light band across face. Median line of back grayish blue with yellowish wash. Dark buff a. & tail

945 Arctic Fox, ♂ 3053.

Vulpes lagopus

Banks Island Cape Kellett.

OCT 27 1914 Geo. H. Wilkins

90-31-14 34-17-32.

Pure white [illegible] long fur. Blush on back only visible by blowing. Head and shoulders stained yellow by old blubber. Brown hairs at tip of tail.

946 ♂ Arctic Fox. Jur. 3054

Vulpes lagopus

Banks Island.

OCT 29 1914 Cape Kellett.

Geo. H. Wilkins

73-26- 18-12-13.

Bluish brown along middle portion of back. Lips & cheeks yellowish white below. Fur short. Tip of tail with considerable amount of black.

947 ♂ Arctic Fox. J 3053

Vulpes lagopus

Banks Island.

OCT 30 1914 Cape Kellett.

Geo. H. Wilkins

80-24-12- 36-19-30

Slightly blush along median line of back and tail. Ears yellowish. Conspicuous dark brown tuft at end of tail.

948 ♂ Arctic Fox. 3056

Vulpes lagopus

Banks Island.

Cape Kellett.

OCT 30 1914

George H. Wilkins (B).

79-30-12.5—31-15-24

Faint blush tint along middle of back. Ears dusky black. Brown hairs at tip of tail.

949 ♀ Arctic Fox. 3057.

Vulpes lagopus

Banks Island.

Cape Kellett.

OCT 30 1914

Geo H. Wilkins (A).

82-27-12-30—17-26.

Back mixed tawl pale blush gray. Ears dusky blush. Little light brown hairs in tip of tail.

950 ♂ Arctic Fox. 3058.

Vulpes lagopus

Banks Island.

Cape Kellett.

NOV 1 1914

George H. Wilkins, Coll.

85-29-14- 31-16-28

Head white; ears dusky.

Pale lavender blush

tint along middle of back

and on legs and tail.

Dark brown hairs at

tip of tail.

951 ♀ Arctic Fox. 3059.
Vulpes lagopus
Banks Island. (Leland)
Cape Kellett.

NOV 1 1914

George H. Wilkins, Alaska (A.)
82-25-12-30-15-26.
Pure white fairly long fur.
Dark frosted hairs in ends of hair.

952 ♀ Arctic Fox. [redacted]: 3060.
Vulpes lagopus
Banks Island. Cape Kellett.

NOV 1 1914

Geo. H. Wilkins
83-27-12-32-20-32.
Pure white fairly long fur
Blue under fur or runs
visible by flowing. ~~Dark~~
Dark hairs in ends of hair

Arctic Fox. 3061

953 ♂ Vulpes lagopus

Banks Island.

Cape Kellett.

NOV 4 1914 Geo. H. Wilkins

80-30-13 120-16-28.

Back pale blush tint darker on back of head. Ears dusty grayish Glive Tail pale Blush Hdy Dark brown hairs in top of tail.

Arctic Fox. 3062

954 ♂ Vulpes lagopus

Banks Island.

Cape Kellett. NOV 11 1914

Geo. H. Wilkins

80-26-13-30-17-2K

Pure White. Good long hair Underfur White except at very roots Light brownish hairs at tip of tail.

955 Arctic Fox. 3063.

♀ Vulpes lagopus

Banks Island.

Cape Kellett. NOV 11 1914

Geo. H. Wilkins

79-28-29-12-16-27.

Pure white, with blush under fur ~~on~~ on ~~body~~ belly ~~shoulder~~ Guard hairs ~~dark brown~~ black tip & tail

956 Arctic Fox. 3064

♂ Vulpes lagopus

Banks Island.

Cape Kellett. NOV 12 1914

No measurements

Pure white ~~some~~ somewhat soiled. Under fur white. (Apparently discolored by smoke or dirt)

Arctic Fox.

957 ♂ Vulpes lagopus 3065.

Banks Island,

Cape Kellett. NOV 14 1914

George H. Wilkins

70-31-13-32-17-33

Pure white. Hair long

Under fur white

Hair stained yellow by old

blubber.

Dark hairs in tip of tail.

Arctic Fox.

958 ♀ Vulpes lagopus 3066.

Banks Island,

Cape Kellett. NOV 14 1914

Geo. H. Wilkins (A.) NOV 14 1914

85-29-12-29-15-27

Pure white, rather long

hair. Under fur white

to base. Dark brown

hairs at tip of tail.

959. Arctic Fox. 3060.

♀ Vulpes lagopus

Banks Island NOV 1 1914

Cape Kellett.

Geo. H. Wilkins

81-33-13-3K-30-16.

All white. Ears dusky.

Dark hairs at tip of tail.

960. Arctic Fox. 3068

♀ Vulpes lagopus

Banks Island.

Cape Kellett. NOV 17 1914

Pure white with blush under fur. Bunch of dark brown hairs at tip

83-20-12.5-32-16-80

961 Arctic Fox. 3069.

♂ Vulpes lagopus

Banks Island.

Cape Kellett. NOV 19 1914

Geo. H. Wilkins

85-29-13-34-15-30

Pure white, with rather long guard-fur. Ears blush. Tail. Under fur quite blush. Brown hairs at tip of tail

962 Arctic Fox. 3070.

♂ Vulpes lagopus

Banks Island.

Cape Kellett. DEC 8 1914

77-27-30-12-16-25-55.

Geo. H. Wilkins

Superficially white with blush under fur showing faintly in places on worn skin.

Brown hairs at tip of tail

39 "Blue Fox"

963 ♂ Arctic Fox. (Blue phase)
Vulpes lagopus 3072
Banks Island.

Cape Kellett. DEC 11 1914

84-28-34-14-29-19.
Geo. H. Wilkins
Color uniform smoky grayish with little if any blackish tint. Fade paler due to exposure / Skull whole Hairs well fleered.

964 ♂ Arctic Fox. "Blue Fox"
Vulpes lagopus (blue phase)
Banks Island. 3072.

Cape Kellett. DEC 11 1914

Collected by Geo. H. Wilkins
69-28-14-32-18-28
Color rather dark blackish gray somewhat smoky at tips / dashed in median back-
Fleece with sharply whitish hairs

965 ♀ Arctic Fox. ad.
Vulpes lagopus 3073
Banks Island.
Cape Kellett. DEC 17 1914
Geo. H. Wilkins collector
82-28-34-17-28-G.
Pure white. Good long
guard hair; under fur
white to roots.

Black ears.

966 ♂ Arctic Fox.
Vulpes lagopus
Banks Island. (Coast).
Cape Kellett. JAN 8 1915
84-30-13-32-15-27
Pure white to roots of fur;
long guard-hair Prime
Skin but rather small.

967 ♂ Arctic Fox.
Vulpes lagopus
Banks Island.
Cape Kellett. JAN 8 1915
Coll by Geo. H. Wilkins
No bones
90-33-16-32-22-32
Pure white. Good skin

968 ♂ Arctic Fox. 3076.
Vulpes lagopus
Banks Island.
Cape Kellett FEB 24 1915
Collected by Peter Bernard
Pure white, with good long fur. Two or three small tufts of dark brown hair on rump. Dark brown hairs in tip of tail.
No measurements

969 Arctic Fox. 3077.
♂ Vulpes lagopus.
Banks Island.
Cape Kellett. MAR 15 1915
Collected by Peter Bernard.
No measurements
Pure white, with good long fur.
Brown hairs in tip of tail scanty
and faded.

970 Arctic Fox. 2 - 3078
♀? Vulpes lagopus
Banks Island.
Cape Kellett. MAR 29 1915
No measurements.
Collected by Peter Bernard.
Pure white with good long fur.
A few brown hairs in tip of
tail.

971 Arctic Fox.
♀ Vulpes lagopus
Banks Island,
Cape Kellett.
APR 10 1915

Collected by Peter Bernard.
No measurements
Pure white. Good quality fur
and much full white to face
Grayish brown hairs at tip of tail
Pelt skin in very flaccid condition
of hair

972 Arctic Fox.
♀ Vulpes lagopus.
Banks Island.
Collected by Dr. Andreason
No measurements
No date. (Winter 1914-1915.
probably Jan-March.
Pure white; good fur
dark brown hairs at tip of tail

973 Arctic Fox.

♀ 2. Vulpes lagopus.

Banks Island, Cape Kellett.

Coll. Geo. H. Wilkins

Label lost ~~Probably taken~~

Taken in fall of 1914 probably in October 1914 (

Tinted with grayish blue ~~dirty~~ along back and tail

973

974 Arctic Fox.

♀ 2 Vulpes lagopus.

Banks Island, Cape Kellett.

Coll. Geo H. Wilkins

Label lost:

Taken in fall of 1914, probably in October 1914

Nearly white, slightly tinted with bluish gray. ~~Dark~~ Dark ~~tuck~~ visible at bases in end of hair.

975 ♂ Golden Plover tulik.
Charadrius dominicus dominicus
Camden Bay, Alaska.
Shot on tundra at Eastern
extremity of Camden Bay.
July 14, 1914.

No. 1. D. Jenness. Mus. No. 8787

976 ♀ Golden Plover tulik
Charadrius d. dominicus
Camden Bay, Alaska.
Shot near point Eastern
extremity of Camden Bay.
July 14, 1914.
D. Jenness, Coll. No. 2. Mus. No.
8788.

tullik.

977 Black-bellied Plover.

♀ Squatarola Squatarola.

Shot on Barter Island, Alaska

June 22, 1914

D. Jennes Coll. No 3.

Jnus No. 8789.

978 Yellow-billed Loon.

♂? Gavia adamsi.

Shot off the mouth of Hula-hula River Alaska

July 13, 1914.

D. Jennes Coll. No 4,

Jnus No 8790.

979 Duck Hawk. Kirigarik.

♂ Falco peregrinus anatum

Shot on Barter Island, Alaska

June 16, 1914.

Weather foggy; temperature above freezing.

D. Jenness. Coll. No 5.

Museum No 8791.

980 Sabine's Gull. Kirigügük. Ikirigügük.

♂ Xema sabini

Shot on Barter Island, Alaska.

June 30, 1914

Temperature +32°. Weather clear. Sunshine bright. East wind.

D. Jenness. Coll. No 6. Mus. No 8792.

981 ♂ Sabini's gull.
♂ Xema sabini
Barter Island, Alaska
June 30, 1914.
D. Jenness, Coll. no. 7. Mus. no. 87942.

982 ♀ Arctic Tern Mit Kutai lak.
♀ Sterna paradisaea.
Ship on Barter Island, Alaska.
June 20, 1914.
Temp. +32° F. Weather clear
Sunshine. Light East breeze.
D. Jenness Coll. no. 8. Mus. no. 87924.

983 ♀ Parasitic Jaeger Isungak.
Stercorarius parasiticus
Barter Island, Alaska
July 5, 1914.
(dark phase).
D. Jenness Coll. No. 9.
Mus. No. 8795.

984 (?) Red throated Loon
Gavia stellata.
Barter Island, Alaska
Spring 1914.
D. Jenness Coll. No. 10.
Mus. No 8796.

985 Pisuiaktok.

Pectoral Sandpiper
Pisobia maculata.
Barter Island, Alaska
June 5, 1914.
Shot beside a pool of water.
Strong east wind. Day overcast.
Temp + 31° F.
D. Jenness coll. No. 11.
Mus. No. 8747.

Sex ?

986 taligvaruk.

Sanderling.
Calidris leucophaea.
Barter Island, Alaska.
Shot beside a pond on Barter Island, about 8:30 p.m. +28°
Strong east wind. Snow falling. June 6, 1914.
Coll. D. Jenness. No. 12.
Mus. No 8748.

45 Liwaliwalk

987 ♀ Baird's Sandpiper
Pisobia bairdi.
Barter Island, Alaska.
Shot on tundra
June 16, 1914.
Accompanying four eggs from the nest [C].
D. Jenness. Coll. No. 13,
Mus. No 8799.

988 ♀ Baird's Sandpiper.
Pisobia bairdi
Barter Island, Alaska.
June 12, 1914. Shot about 6 pm
sitting on four eggs [Tin A]
D. Jenness Coll. No. 14.
Mus. No. 8800.

989 ♀ Livativavaret = small Livativak.
Semipalmated Sandpiper.
Ereunetes pusillus.
Barter Island, Alaska.
June 17, 1914. Killed on
tundra. It was sitting on
eggs marked D.
D. Jenness. Coll. No 15.
Mus. No. 8801.

990 Red Phalarope Aligroat.
Phalaropus fulicarius. Savuvak.
Barter Island, Alaska.
June 12, 1914. Shot from
pool of water. Weather at time Clear
and calm, but the sky dull.
Temp. about +38° F.
D. Jenness. Coll. No. 16.
Mus. No 8802.

46 Kuruk Kuruk.

991 Semipalmated Plover
AEgialitis semipalmata.
Barter Island, Alaska.
June 11, 1914. 8:30 p.m.
Shot on tundra.
D. Jenness, Coll. No. 17
Num. No. 8803.

992 992. Semipalmated Plover.
AEgialitis semipalmata.
Barter Island, Alaska.
June 3, 1914. about 10 a.m.
Shot from open pool
of water.
D. Jenness Coll. No. 4.
Num. No. 8804.

993 ♀ Pacific Eider. Arnauligerok
Somateria v-nigra.
Barter Island, Alaska.
June 9, 1914.
Shot on sandspit near
Barter Island. It was sitting
on five (5) eggs.
D. Jenness. Coll. No 19.
Mus. No 8845

994 ♂ Spectacled Eider.
Arctonetta fischeri
Barter Island, Alaska.
June 29, 1914
D. Jenness. Coll. No 20.
Mus. No 8806.

Tetalit.

995 ♀ Spectacled Eider.

~~Somateria~~

Arctonetta fischeri.

Barter Island, Alaska

June 29, 1914

D. Jenness. Coll. No. 21,

Mus. No. 8807.

996 ♂ Steller's Eider. Igna Kauktok. (Pots'g K. auct.)

Barter Island. Alaska.

June, 1914.

D. Jenness. Coll. No. 22.

Mus. No. 8808.

997 ♂ Steller's Eider

Baiter Island, Alaska
June, 1914

D. Jenness. Coll. No 23,
Mus. No 8809.

998 ♂ Steller's Eider

Baiter Island, Alaska
June, 1914.

D. Jenness Coll. No 24.
Mus. No 8810.

999 ♂ Harlequin Duck.
Sagavuptinmia.
Histrionicus histrionicus.
Baxter Island, Alaska.
June 26, 1914
Shot by Teriglot (Eskimo)
D. Jemnes Coll No 20.
Nms. No 8811.

1000. ♂ Harlequin Duck.
Histrionicus histrionicus.
Baxter Island, Alaska.
June 1914.
Coll. D. Jemnes. No. 26.
Nms. No 8812.

1001 ♀ Pintail Duck Kuruğ aq.

Dafila acuta

Barter Island, Alaska.

June 26, 1914.

D. Jenness Coll. No 27.

Mus. No. 8813.

1002 ♀ Pacific Loon, Mäl'lere.

Gavia pacifica

Barter Island, Alaska

July 2, 1914.

D. Jenness Coll. No 28,

Mus. No 8814.

1003 Pacifica Müllere.
Gavia pacifica
Shore Barter Island, Alaska.
June 18, 1914.
D. Jenness, coll. No. 29 Musko 8815

Cold east wind. temperature
a little above freezing

1004 Pacifica Müllere.
& Gavia pacifica
Barter Island, Alaska.
July 5, 1914.
D. Jenness coll. No. 30.
Musko 8816.

Mallere.

1005 Pacific Loon
Gavia arctica.
Barter Island, Alaska
July 5. 1914.
D. Jenness, Coll. No. 31. Mus. 8817.

1006 ♀ Tundra Wrasel.
Barter Island, Alaska. July 8. 1914
D. Jenness ♯32. Mus. No 25973.

1007 ♂ Tundra Wrasel
Putorius sp.
Barter Island Alaska.
July 9. 1914. D. Jenness (33). Mus. No 25972

1008 Pisobia Maculata
Bernard Harbor N.W.T.
Summer, 1916. P.H.

1009 ♂ Arctic Fox. By Reliejar.
Bernard Harbor, N.W.T. Nov. 26. 1914
22-12-5½ inches. Skin, Skull and one leg.

1010 ♂ Arctic Fox. By Reliejar.
Bernard Harb. Dec 5. 1914 22-12½-6"

White Fox skins
(from F. Johansen).

♀ Dec. 1914. O'Neill.
♂ Dec 5, 1914 Palaiyah.
♂ Dec. 10, 1914 F. Johansen
♀ Nov. 30, 1914 "
♂ Dec. 1914 "
♀ Nov. 30, 1914 "
♂ Nov. 26. " "
♂ Dec. " "
♀ Dec. 6. " "
♂ Dec. 10. " "
♀ Dec. 10. " "
♀ " 29. " "

1 Skin & head for
Nov. 27, 1914

1111. ♀ Arctic Fox. Nov. 30, 1914. H. Johansen
Bernard Harbor N. W. T.
20½ – 10½ – 5½. Skin & Skull
1112 – ♀ Arctic Fox. H. J. Bernard Harbor
Nov. 30. 1914. unsexed.
21 – 11 – 5½ "
With skin and skull.
1113. ♀ Arctic Fox. H. J. Bernard Harbor.
Dec. 6 1914. 15 – 27 – 5 4 cm.
1114. ♀ Arctic Fox. H. J. Bernard Harbor.
Dec. 10, 1914. 52 – 32 – 14 cm.
Dec. 10, 1914. With Skull
1115 – ♂ Arctic Fox H. J. Bernard Harbor
Dec. 10, 1914, with Skull.
15 – 30 – 58.
1116 ♂ Arctic Fox. H. J. Bernard Harbor
Dec. 10, 1914. With bone
15 – 30 – 57 cm
1117 – ♀ Arctic Fox. H. J. Bernard Harbor
Dec. 29. 1914 With Skull.
14 – 27 – 53 cm.
1118. ♂ Arctic Fox H. J. Dec. 1914 Ks bones
1119. ♂ " " H. J. " " " "
1020. ♂ Arctic Fox Nov. 25. 1914 Palanjak
1021. ♂ " " " 26. " "
1022. ♀ " " " 23. " "

1023 ♀ Antarctic Nov. 24. 1914 Belgium

1024 ♂ " " Nov. 28. " Belgium

1025 ♀ " " Dec. 13. " "

1026 ♀ " " Dec. 2. " "

1027 ♂ " " Dec 5. " "

22-13-6"

1028 ♀ Dec. 5. 1914 "

1029 ♂ Dec 2 1914 "

1030 ♀ Dec. 3. " "

1031 ♂ Dec. 11. " "

1032 ♀ Dec. 1 " "

1033 ? Antarctic Nov. 1915 FJ

1023 ♀ Adult ♀ Nov. 24 1914 Palmyra

1024 ♂ " " Nov. 28 " Palmyra

1025 ♀ " " Dec. 13 " "

1026 ♀ " " Dec. 2 " "

1027 ♂ " " Dec 5 " "
22-13-6"

1028 ♀ Dec. 5. 1914 "

1029 ♂ Dec 2 1914 "

1030 ♀ Dec 3 " "

1031 ♂ Dec. 11 " "

1032 ♀ Dec 1 " "

1033 ♀ Nov. 1915 Fiji

Anderson, R.M. Canadian Arctic Expedition Catalogue of Collections

Numerical listing of specimens, gives museum number, sex, species (Latin name), measurements, locality, and date collected.
Whole collection is serially numbered from page 2 to page 111; the mammal collection begins on page 180 and includes museum and collection number, sex, species (Latin name),measurements, locality and the date collected.

Type of Book--Original, handwritten.

Record
of
Collections.

R. M. Anderson

No. 810